

Mainboard MCU and USB firmware update guide

A:Lift type capping station model firmware update

1:Latest version of mainboard MCU and USB of Lift type capping station model are: Mainboard MCU:5.1.1 USB:5.1.6

2:Suitable for: Titanjet model with Lift type capping station.

3:With the Help--About in the menu of print control software to check about the current information of mainboard MCU and USB. No need to update if has the latest version.



4: Before updating, turn off the print control software, turn off the power, make sure the computer USB and machine USB is in good connection.



5: Turn on the power, and open the mainboard tool, click on the Power switch, when suggesting that Connect OK indicate that the computer connects to the mainboard successfully, you can choose Chinese or English.

1	On Line	-		- 25	(中文 -)
et.	Info:Connect OK		connect		Language
+信息 外设设设	[序列号管理]密码管理 [CPU图]	Basy Batte	eucocefully	「升级帮助「對字功能	[电机参数] 喷头清洗
000/0000		This ope	succostully	pde!	
				文件	
				FH 623	
				67.16	
				21.9%	
				USB, COM	
				O COM	
				The second second second second second	
				RealTime Update", "P	
				USB, COM USB COM	

Mainboard MCU firmware update:



6: Select "MCU Firmware Update", and then click on Open File.



7: In the dialog box, locate the latest mainboard MCU firmware: select MB5.1.1.bin, click Open.



8:Click Update.

9: Update progress is as follows:





10: Update Firmware Success! indicates the updating is complete.

]	On Line Info:Connect	ок		中文 💌
牛信息 外设设3	2 序列号管理 医码管系	E CRU固件升级 USB固件升级 美板固件升 This operator only for COM	H级【升级帮助【刻字功能 nodel	电机参数 喇头清波
Connetting to I +Connect Suc CU Type:STC Reconnect to	MCU ccess! MCU Firmware \ 89C58RD+44 HeadBoard use by hig	/ersion:4.3+++	文件 升级	
Now sending	control information	TitanJet Control Board	5%IE	
Erasing applic +Erasing Fini Programming	cation flash sh+++	Update Firmware Success!	USB, COM USB USB COM	

USB firmware update:

11: Before updating, need to unplug the USB protection jumper, as shown below:



12: Select USB firmware update, click Open File.



~								
					*			
						Open File	-	
					_	Undate		
		0	ý l		-			

13: In the dialog box, locate the latest USB firmware: select USB5.1.6.iic, click Open.



15: Update progress is as follows:

(E) Help (3D		
21	On Line		(+ <u>+</u>)
			Language
wer	Info:Connect OK		
件信息 外i	设设定 序列号管理 密码管理 CPU固件升级 USB固件升级 头板固件	升级【升级帮助】3	到字功能 电机参数 喇头清洗
hkey .			
and a local	Abocuments and Settings'Administrator (JR DD) 7104 BAT 10505 1 5.11		
Load firm	ware file to memory		
+++Load file	le finish+++		
2.Start down	micrad tirmware to USB MainBoard		
2.Start.dow	mload firmware to USB MainBoard		
2.Start dow	mload firmware to USB MainBoard		
2.Start dow	firmware to USB MainBoard		
2.Start dow	mload firmware to USB MainBoard		
2 Start dow	firmware to USB MainBoard		
2.Start dow	mload firmware to USB MainBoard		
2.Start dow	firmware to USB MainBoard		
2.Start dow	nload firmware to USB MainBoard		
2.Start dow	tirmware to USB MainBoard		
2.Start dow	nload firmware to USB MainBoard	x	r#
2.Start dow	tirmware to USB MainBoard	x	e+
2 Start down	nload firmware to USB MainBoard	x	e+
2.Start down	415	×	P#

16: Update Finish! indicates the updating is complete.



B:Impact capping model firmware update

1. The newest firmware of the MCU and USB of the Impact capping model:

MCU:1.2.9 USB:1.3.6

2. Applicable model: Titanjet Impact capping model.

3.Click the "Help" in the menu bar --->> "About", and then check the MCU and USB firmware, if these are the newest version, then there is no need to update.



4.Before update, close the control software and turn off the power, make sure that the usb between the computer and the printer is connected well.

3	On Line Info:Connect OK	[40 32 ▼] Language
0000/0000	This oper	
		39-420
		UEB, COM
		C COM
		-BealTime Undate", "P

5.Turn on the power and open the mainboard.exe, then click the "Power", if the info shows connect ok, that means that the computer connect with the mainboard successfully.

6. Mainboard MCU firmware update: choose "CPU firmware update", then click "Open file",



Tools		
e(P) Help(H)		
	On Line Info:Connect OK	中文 💌 Language
肥件信息「外设设计	定「序列号管理」密码管理」CRU固件升级「USB固件升级「头板固件升级」升级	帮助「刻字功能」电机参数「喷头清洗
0000/0000	This operator only for COM mode!	10.04
		XH J
		升级
		释止
	USB, CO	im
	0.05	
	0.00	
	RealT.	me Update", "P
		contine the data of

7.In the pop-up interface, find the newest version of the MCU:MB1.2.9 bin, choose the file and click open.

	查找范围(I):	🌛 撞击固件		-	← 🗈 💣 🖽	-	100
ower 連件信息 <u>小设</u> 0000/0000		MB1.2.9.bi	n				<u> 晓头青洗</u>
	网络	文件名(8):			•	打开(0)	

8.Click "Update"



	On Line	中文	•
i wer	Info:Connect OK	Langua	ge .
●件信息 [外设设] 0000/0000	E「序列号管理「密码管理 CPU固件升级」USB固件升级「头板固件升级「升级帮助」	刻字功能「电机参数	嘲头清波
	THIS OPERATOR OTHEY FOR COM MODE!		
0000,0000	中文 1		
	文件 开级		

9.Update process info like this:

Toola		
OD Halp OD		
3	On Line Info:Connect OK	[++:32 +] Language
时中信息[外设设 0020/0066	定(序列号管理)密码管理(EPU版件升级)u2D版件升级(头板面件升级) This operator andy for CON mo	[升级帮助 [京/字功能] 电机参数 [喷头清洗 dat
1.Connetting to +++Connect Su MCU Type:ST	MCU Inccess! MCU Firmware Version:4.3+++	32.14
2 Reconnect to +++Reconnect	HeadBoard use by higher BaudRate Success+++	Rite
3 Now sending +++Send Finish	control information	
4.Erasing appl +++Erasing Fin	Icetion flash	USB, COM
5 Programmine		⊖ com
		RealTime Update", "F
		 A strategies if and strategies

10.if you see a pop-up "Update Firmware Success!", that means that the update completes.

	On Line			中文	-
	Info:Connect	ок		Language	
信息「外设设3	定 序列号管理 密码管机	(CPU前伸升机)USB前伸升机(从积固伸升	頭 升磁帮助 肉 字功能	「电机参数「●	15月1日29
Connetting to I +Connect Su	MCU ccess! MCU Firmware \	fersion 43***	文件		
U Type:STO	089C58RD+44		71 63		
Reconnect to	HeadBoard use by hig Success+++	her BaudRate	10 JL		
low sending +Send Finish	control information	TitanJet Control Board			
rasing appli Erasing Fini	cation flash	Update Firmware Success!	USB, COM		
rogramming +Program Ok		(<u> </u>	CON		
			RealTime Update", "P		
			C Pawertth thrante		

11. USB firmware update: before update the usb firmware, you need to unplug the usb protection jumper, as picture below.





12.choose "USB firmware update", click the "file".



13.In the pop-up, find the newest version of the usb firmware:USB1.3.6.iic,choose it and click "print".



	Open Update Fi	le				 8
9	查找范围(II):	🌛 撞击固件		- 4	- 🗈 🗗 🔟	•E4
rer <u>件信息 外设</u> sbkey	最近时间的位置	USB 1.3.6.	lic			<u>【 喷头清洗</u>
	库					

14.click "update"

	On Line							1.000
	OILFING						中文	-
	Info:Connect	ок					Langua	£4
[息]外设设定	[序列号管理]密码管理	CPU固件升级	USB固件升锁	头板固件升级	[升级帮助	刻字功能	电机参数	喷头清;
C Dom	onts and Sattings Adain	nistrator\桌雨	() nainbroadth	aof用Nusa 1 a	6]			
C. Wadu	ents and bettings(Adh).	nistrator (M. II	limertro.oedh3	1. 1.050 P	· P+			
					^			
						文件		
						文件		
						文件		

15.Update process info like this:





16.if you see a pop-up "Update Firmware Success!", that means that the update completes.

17.After the update, close the mainboard.exe first, then turn off the power, plug back the usb protection jumper, and turn on power, open the mainborad.exe, connect successfully, click on the Hardware Information, you can see the mainboard MCU and USB firmware version, if the version is the latest version, it means that the updating is successful.



